



## ARB WINCH 10,000LB + 12,000LB

Date	January 2026
Description	ARB Winch
Part No.	See table
RRP EU Ex. VAT	1.450,00 EUR (ARW100SA) 1.550,00 EUR (ARW120SA)
Availability	TBA (accepting pre-orders)

### OVERVIEW



The first **ARB Winch** marks a new era in recovery, blending precision engineering with modern vehicle integration. Its innovative built-in control unit enhances motor efficiency, while the four-stage gearbox delivers maximum strength and endurance. Designed for today's bumpers, it eliminates the traditional control box, providing a sleek fit that preserves airflow and sensor functionality while reducing fitting time. Purpose-built for balanced strength, functionality, and refined design, it integrates seamlessly and is ready for any terrain.



	ARB 10,000LB WINCH	ARB 12,000LB WINCH
<b>Rated Line Pull</b>	10,000 lbs   4,536kg	12,000 lbs   5,443kg
<b>Rope</b>	10mm x 28m Grey Synthetic	11mm x 24m Grey Synthetic
<b>Fairlead</b>	Forged 6061 Aluminium Hawse Fairlead	
<b>Fitted Weight</b>	73.5lb   33.3kg	76lb   34.5kg
<b>Max. Line Speed</b>	60ft/min   18.5m/min	65ft/min   20m/min
<b>Motor</b>	4.0kW   5.3HP	4.3kW   5.7HP
<b>Electrical Contactor</b>	Albright DC Contactor 500Amp	
<b>Brake</b>	Gearbox Mounted 100% Load Holding Proportional Friction Brake	
<b>Gearbox</b>	171:1 2-Stage Planetary and 2-Stage Spur	
<b>Waterproof Ratings</b>	IP68 Winch Motor & Gearbox	

## FEATURES AND BENEFITS

- BUILT-IN MOTOR CONTROL UNIT
- ZERO DRAG BRAKING SYSTEM
- POWER ISOLATION SWITCH INCLUDED IN THE BOX
- ALL-IN-ONE EASY TO FIT BOX
- ROTATABLE GEARBOX (16 POSITIONS IN 22.5° INCREMENTS) – image A
- ROTATABLE MOTOR (5 POSITIONS IN 45° INCREMENTS) – image B
- 10,000LB / 12,000LB
- TUNED 12V MOTOR: FASTER LINE SPEEDS WITH LOWER CURRENT DRAW
- ALUMINIUM ALLOY HOUSINGS FOR MAXIMUM DURABILITY
- DUAL CONNECTION REMOTE INCLUDED IN THE BOX
- QUICK AND EASY FITMENT (1.25 HOURS)
- 4 STAGE GEARBOX

**A**

**B**


#### TUNED 12V MOTOR

A purpose-built series-wound motor powers the four-stage gearbox, delivering faster line speeds with lower current draw.

#### BUILT-IN MOTOR CONTROL UNIT

The advanced design features a direct connection Albright contactor that boosts motor efficiency and eliminates the need for a conventional control box.

#### ZERO DRAG BRAKING SYSTEM

The gearbox-mounted brake provides 100% load holding and allows powered unspooling under no load without causing any damage to the winch.

#### 4 STAGE GEARBOX

Hardened steel gearsets are engineered for maximum strength, optimal load distribution, and long-lasting durability.

#### MAIN POWER ISOLATION SWITCH

The ARB Winch features a main power isolation switch **included in the box**, allowing you to safely cut power to the winch when not in use.

#### ROBUST BUILD QUALITY

The lightweight aluminium alloy housings are engineered for maximum strength and durability.

#### DUAL CONNECTION WIRELESS REMOTE

Compact hand controller with options for wired connection with a 5m/16ft lead or wireless operation with a 40m/98ft range – **included in the box**.

#### QUICK AND EASY FITMENT

With multiple mounting options, the ARB Winch comes prewired and features preset gearbox positioning to fit most common vehicles.

## PART NUMBERS

Part No.	Description	Barcode	Fitting Time
ARW100SA	ARB Winch 10,000LB Synthetic	9322046501596	1.25hrs
ARW120SA	ARB Winch 12,000LB Synthetic	9322046501602	1.25hrs



## SPARE PARTS

Part No.	Description
ARWA004	10mm x 28m Synthetic Rope 10K
ARWA011	11mm x 24m Synthetic Rope 12K
ARWA006	ARB Winch Hook
ARWA005	Hawse Fairlead Forged Aluminium
ARWA007	Albright BR88-2P Contactor
ARWA013	Winch Seal Kit
ARWA014	Brake Assembly Kit
ARWA015	ARB Winch 10K Motor & Cover Assembly
ARWA016	ARB Winch 12K Motor & Cover Assembly
ARWA017	ARB Winch Gearbox Assembly
ARWA018	ARB Winch Clutch Handle Assembly
ARWA019	Winch Fastener Kit
ARWA009	Wireless 2.4Ghz Hand Controller & Receiver
ARWA008	Winch Isolation Switch Kit
ARWA021	Hand Controller 5M Lead
ARWA020	Control Plug T-Harness 2M